



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-49

Certification title

Firefighter 1
Perform Hydraulic Ventilation

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 13-5
Fire Fighter I, 4.3.12

Task

Properly perform hydraulic ventilation.

Conditions and Outcome

The candidate shall be provided with full personal protective equipment (PPE) and a hose line. The candidate shall demonstrate the ability to properly perform hydraulic ventilation.

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Enter the room and remain close to the ventilation opening. Place the nozzle through the opening and open the nozzle to a narrow fog pattern.						
2	Keep directing the stream outside and back into the room until the stream almost fills the opening. The nozzle should be 2 to 4 ft (0.6 to 1.2 m) inside the opening.						
3	Stay low, out of the heat and smoke, or to one side to keep from partially obstructing the opening.						
Final Test Result for Entire Task							
Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2			
Evaluator signature		Evaluator signature		Evaluator signature		Date	
Date		Date		Date		Date	
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2			
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments			
Candidate signature		Candidate signature		Candidate signature		Date	
Date		Date		Date		Date	

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021