



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-01

Certification title

Firefighter 1
GENERAL SKILL REQUIREMENTS – DON PPE

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 3-1
Fire Fighter I, 4.1.2

Mandatory

Task

Donning personal protective clothing within one (1) minute. The evaluator will need a stop watch.

Conditions and Outcome

The candidate shall be provided with the following personal protective equipment (PPE): boots, pants, coat, hood, gloves, and helmet. The candidate shall be able to properly don personal protective clothing in one (1) minute.

Student must pass 5 of 6 steps to pass this skill sheet.

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
	Donning						
1	Place your equipment in a logical order for donning.						
2	Place your protective hood over your head and down around your neck.						
3	Put on your boots, and pull up your protective pants. Place the suspenders over your shoulders, and secure the front of the pants.						
4	Put on your protective coat, and close the front of the coat.						
5	Place your helmet on your head and adjust the chin strap securely. Turn up your coat collar, and secure it in front.						
6	Put on your gloves.						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020 Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-02

Certification title

Firefighter 1
GENERAL SKILL REQUIREMENTS
Donning an SCBA from an Apparatus Seat Mount

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 3-3
Fire Fighter I, 4.3.1

Task

While wearing PPE, properly don SCBA from an apparatus seat mount in one (1) minute.
Donning SCBA from an apparatus seat mount.

Conditions and Outcome

The candidate shall be provided with the following personal protective equipment (PPE): boots, pants, coat, hood, gloves, helmet, SCBA, and face piece. The candidate will have already donned PPE. The evaluator will need to have a stopwatch. The candidate shall be able to properly don SCBA from an apparatus seat mount in one (1) minute.

Student must pass 8 of 9 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Safely mount the apparatus and sit in the seat. Place your arms through the SCBA shoulder straps. Partially tighten the shoulder straps; do not fully tighten them.						
2	Fasten your SCBA waist belt.						
3	Fasten your seat belt. When the apparatus stops at the emergency scene, release the seat belt, and release the SCBA from its brackets. If the apparatus has an SCBA locking device, detach the SCBA from the locking device.						
4	Carefully exit the apparatus. Maintain three points of contact with the vehicle while exiting.						
5	Cinch down the SCBA waist belt.						
6	Adjust shoulder straps until they are snug.						
7	Open the main cylinder valve. Activate the air saver/donning switch to prevent the flow of air, if needed.						
8	Don the face piece, and check for leaks. Pull the protective hood up over your head, put the helmet on, and secure the chin strap.						
9	If necessary, connect the regulator to the face piece or attach the low-pressure air supply hose to the regulator. Activate the air flow and ensure that the PASS device alarm is operating.						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date

Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-03

Certification title

Firefighter I
Donning an SCBA from an Apparatus Compartment Mount

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 3-4
Fire Fighter I, 4.3.1

Task

Donning an SCBA from an Apparatus Compartment Mount

Conditions and Outcome

The candidate shall be able to properly don SCBA from a side-mounted compartment or bracket in one (1) minute. The candidate shall be provided with the following personal protective equipment (PPE): boots, pants, coat, hood, gloves, helmet, SCBA, and face piece. The candidate will have already donned PPE. The evaluator will need to have a stopwatch.

Student must pass 7 of 8 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Stand in front of the SCBA bracket, and fully open the air cylinder valve.						
2	Turn your back toward the SCBA, slide your arms through the shoulder straps, and partially tighten the straps.						
3	Release the SCBA from the bracket and step away from the apparatus.						
4	Attach the waist belt and tighten it.						
5	Adjust the shoulder straps. Fully open the main air cylinder valve. Activate the air saver/donning switch to prevent the flow of air, if needed.						
6	Don the face piece, and check for an adequate seal.						
7	Pull the protective hood into position, don your helmet, and secure the chin strap.						
8	If necessary, connect the regulator to the face piece or attach the low-pressure air supply hose to the regulator. Activate the air flow and ensure that the PASS device alarm is operating.						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-04

Certification title

Firefighter 1
Donning an SCBA Using the Over-the-Head Method

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 3-5
Fire Fighter I, 4.3.1

**Mandatory
Option - A**

Task

Donning SCBA using the over-the-head method within one (1) minute.

Conditions and Outcome

The candidate shall be provided with the following personal protective equipment (PPE): boots, pants, coat, hood, gloves, helmet, SCBA, and face piece. The candidate will have already donned PPE. The evaluator will need a stopwatch. The candidate shall be able to properly don SCBA using the over-the-head method in one (1) minute.

Student must pass 5 of 6 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	The SCBA should be resting on the floor or ground, with the backplate is facing up, the air cylinder valve facing away from you and the shoulder straps to the sides. The evaluation begins when the evaluator says go.						
2	Fully open the main air cylinder valve. Activate the air saver/donning switch to prevent the flow of air, if needed.						
3	Bend down and grasp the SCBA backplate with both hands. Using your knees to support and lift the extra weight, lift the SCBA up and over your head. Once the SCBA clears your head, rotate it 180 degrees so that the waist belt straps are pointed toward the ground						
4	Slowly slide the pack down your back. Make sure that your arms slide into the shoulder straps. Once the SCBA is in place, tighten the shoulder straps, and secure the waist belt.						
5	Don the face piece, and check for an adequate seal. Pull your protective hood into position on your head, don your helmet, secure the chin strap and don your gloves.						
6	Attach regulator or do whatever procedure is necessary to activate air flow into mask. Stopwatch stops with finished.						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date

Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-05

Certification title

Firefighter 1
Donning an SCBA Using the Coat Method

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 3-6
Fire Fighter I, 4.3.1

**Mandatory
Option - B**

Task

Donning SCBA using the coat method within one (1) minute.

Conditions and Outcome

The candidate shall be provided with the following personal protective equipment (PPE): boots, pants, coat, hood, gloves, helmet, SCBA, and face piece. The candidate will have already donned PPE. The evaluator will need a stopwatch. The candidate shall be able to properly don SCBA using the coat method in one (1) minute.

Student must pass 5 of 6 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
	The SCBA should be resting on the floor or ground, with the backplate is facing up, the air cylinder valve facing toward you and the shoulder straps to the sides. The evaluation begins when the evaluator says go.						
1	Fully open the air cylinder valve. Lift the SCBA, and swing it over your shoulder, being mindful of people or objects around you.						
2	Slide your other hand between the SCBA cylinder and the corresponding shoulder strap.						
3	Tighten the shoulder straps						
4	Attach the waist belt and adjust its tightness.						
5	Don the face piece, and check for an adequate seal.						
6	Pull the protective hood into position on your head, don your helmet, secure the chin strap, and don your gloves. Attach regulator or do whatever procedure is necessary to activate air flow into mask. Stopwatch stops with finished.						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date

Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020.

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-06

Certification title

Firefighter 1

Visible SCBA Inspection

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 3-9
Fire Fighter I, 4.5.1

Task

Visible inspection of SCBA.

Conditions and Outcome

“Properly inspect SCBA using visible inspection criteria.” The candidate shall be able to properly complete a visible inspection of SCBA.

Student must pass 7 of 8 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Visually inspect the air cylinder and valve assembly for dents and gouges. Look for black or discolored areas that indicate exposure to flame.						
2	Check the cylinder for the current hydrostatic test date and date of manufacture. Check the air-cylinder pressure gauge to be sure it is full.						
3	Inspect hose and rubber parts for damage or deterioration.						
4	Inspect the SCBA harness, webbing, buckles, fasteners, and cylinder retention system for damage.						
5	Verify that the SCBA has been cleaned according to the manufacturer's and department's recommendations. Inspect the regulator for intact gaskets and visible damage.						
6	Inspect the face piece for damage and worn components. Look for damage to the lenses and check for the presence of a nose cup.						
7	Inspect the head harness to confirm that all parts are present and working properly						
8	Check the quick disconnects and the RIC UAC to make sure they are not damaged, they are operating properly, and that the dust cap is in place						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date

Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-07

Certification title

Firefighter 1

Replacing an SCBA Cylinder

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 3-11
Fire Fighter I, 4.3.1

Task

Replacing an SCBA cylinder.

Conditions and Outcome

The candidate shall be provided with an SCBA and spare cylinder. The candidate shall be able to properly replace an SCBA cylinder.

Student must pass 8 of 9 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Place the SCBA on the floor or a bench.						
2	Close the air cylinder valve.						
3	Open the regulator purge/bypass valve to bleed off the pressure.						
4	Disconnect the high-pressure supply hose. Keep the ends clean.						
5	Release the air cylinder from the SCBA harness and remove the depleted air cylinder.						
6	Slide a full air cylinder into the SCBA harness. Align the outlet to the supply hose. Lock the air cylinder in place.						
7	Check that the "O" ring is present.						
8	Connect the high-pressure hose to the air cylinder. Hand-tighten only.						
9	Open the air cylinder valve. Check the air-cylinder pressure gauge and the remote pressure gauge.						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020 Updated by NJ SME Committee 3/8/2021 , Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-08

Certification title

Firefighter 1
Replacing an SCBA Cylinder on Another Fire
Fighter

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 3-12
Fire Fighter I, 4.3.1

Task

Replacing an SCBA cylinder on another fire fighter without removing the SCBA.

Conditions and Outcome

The candidate shall be provided with an SCBA and a spare cylinder. The candidate shall be able to properly replace an SCBA cylinder on another fire fighter without removing the SCBA.

Student must pass 8 of 10 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Remove the regulator from the face piece or remove the face piece so that the fire fighter can breathe ambient air.						
2	Close the air cylinder valve on the used air cylinder.						
3	Open the regulator purge/bypass valve to bleed off pressure from the high-pressure supply line.						
4	Disconnect the high-pressure supply line.						
5	Release the SCBA air cylinder from the SCBA harness and set it aside.						
6	Slide the full SCBA air cylinder into the SCBA harness.						
7	Check for the presence and satisfactory condition of the "O" ring.						
8	Lock the SCBA air cylinder into place.						
9	Connect the high-pressure line to the SCBA cylinder.						
10	Open the air cylinder valve and notify the fire fighter that the SCBA cylinder change is complete.						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-09

Certification title

**Firefighter 1
Using a Radio**

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 4-3
Fire Fighter I, 4.2.3

Task

Using a portable radio.

Conditions and Outcome

The candidate shall be provided with a radio. The candidate shall be able to properly use a radio.

Student must successfully pass all Task Steps with 100 percent to pass this skill sheet

Number

Task Steps

First Test

Retest #1

Retest #2

Pass

Fail

Pass

Fail

Pass

Fail

1 Listen to determine that the channel is clear of any other traffic. Depress the “push-to-talk” (PTT) button and wait at least 2 seconds before speaking.

2 Speak across the microphone at a 45-degree angle and hold the microphone 1 to 2 inches (2.5 to 5 centimeters) from your mouth.

3 Speak clearly and keep the message brief and to the point.

4 Release the PTT button only after you have finished speaking.

Final Test Result for Entire Task

Evaluator signature & comments, Test #1

Evaluator signature & comments, Retest #1

Evaluator signature & comments, Retest #2

Evaluator signature

Date

Evaluator signature

Date

Evaluator signature

Date

**Candidate signature & acknowledgement,
Test #1**

**Candidate signature & acknowledgement,
Retest #1**

**Candidate signature & acknowledgement,
Retest #2**

By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments

By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments

By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments

Candidate signature

Date

Candidate signature

Date

Candidate signature

Date

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-10

Certification title

Firefighter 1
Extinguishing a Class A Fire with a Stored-Pressure
Water-Type Fire Extinguisher

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 7-2
Fire Fighter I, 4.3.16

Task

Extinguishing a Class A fire with a stored-pressure water-type fire extinguisher.

Conditions and Outcome

The candidate shall be provided with a stored-pressure water-type fire extinguisher, a fire, a pike pole, and the following personal protective equipment (PPE): boots, pants, coat, hood, gloves, helmet, and if necessary SCBA, and face piece. Extinguishing a Class A fire with a stored-pressure water-type fire extinguisher.

Student must pass 4 of 5 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Size up the fire to determine whether a stored-pressure water-type fire extinguisher is safe and effective for the fire. Ensure the fire extinguisher is large enough to be safe and effective. Ensure your safety. Make sure you have an exit route from the fire. Do not turn your back on a fire.						
2	Remove the hose and nozzle. Quickly check the pressure gauge to verify that the fire extinguisher is adequately charged.						
3	Pull the pin to release the fire extinguisher control valve. You must be within 35 to 40 ft (11 to 12 m) of the fire to be effective.						
4	Aim the nozzle and sweep the water stream at the base of the flames.						
5	Overhaul the fire; take steps to prevent rekindling, break apart tightly packed fuel, and summon additional help if needed.						

Final Test Result for Entire Task

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-11

Certification title

Firefighter 1
Extinguishing a Class A Fire with a Multipurpose
Dry-Chemical Fire Extinguisher

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 7-3
Fire Fighter I, 4.3.16

Task

Extinguishing a Class A fire with a multipurpose dry-chemical fire extinguisher.

Conditions and Outcome

The candidate shall be provided with a multipurpose dry-chemical fire extinguisher, a class A fire, pike pole, and the following personal protective equipment (PPE): boots, pants, coat, hood, gloves, helmet, and if necessary SCBA, and face piece. The candidate shall be able to properly extinguish a Class A fire with a multipurpose dry chemical fire extinguisher.

Student must pass 4 of 5 steps to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Size up the fire to determine whether a multipurpose dry-chemical fire extinguisher is safe and effective for this fire. Ensure the fire extinguisher is large enough to be safe and effective. Ensure your safety. Make sure you have an exit route from the fire. Do not turn your back on a fire.						
2	Remove the hose and nozzle. Quickly check the pressure gauge to verify that the fire extinguisher is adequately charged.						
3	Pull the pin to release the fire extinguisher control valve. Depending on the size of the fire and fire extinguisher, you must be within 5 to 45 ft (2 to 14 m) of the fire to be effective.						
4	Aim the nozzle and sweep the dry-chemical discharge at the base of the flames. Coat the burning fuel with dry chemical.						
5	Overhaul the fire; take steps to prevent rekindling, break apart tightly packed fuel, and summon additional help if needed.						
Final Test Result for Entire Task							

Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2	
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date

Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2	
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments	
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date

Form DFS-SS-1, 10/12 Approved by NJ SME Committee 07/30/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-12

Certification title

Firefighter 1
Extinguishing a Class B Flammable Liquid Fire with a
Dry-Chemical Fire Extinguisher

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 7-4
Fire Fighter I, 4.3.16

Task
Extinguishing a Class B fire with a dry-chemical fire extinguisher

Conditions and Outcome
The candidate shall be provided with a dry-chemical fire extinguisher, a Class B fire and the following personal protective equipment (PPE): boots, pants, coat, hood, gloves, helmet, and if necessary SCBA, and face piece. The candidate shall be able to properly extinguish a Class B fire with a dry-chemical fire extinguisher
Student must successfully pass all Task Steps with 100 percent to pass this skill sheet

Number

Task Steps

First Test

Retest #1

Retest #2

		Pass	Fail	Pass	Fail	Pass	Fail
1	Size up the fire and ensure your safety. Check the pressure gauge.						
2	Pull the pin to release the fire extinguisher valve. Depending on the size of the fire and fire extinguisher, you must be within 5 to 45 ft (2 to 14 m) of the fire to be effective.						
3	Aim the nozzle and sweep the dry-chemical discharge across the surface of the burning liquid. Start at the near edge of the fire, and work toward the back.						
4	Overhaul the fire; take steps to prevent rekindling, keep a blanket of dry chemical over the fuel, and summon additional help if needed.						

Final Test Result for Entire Task

Evaluator signature & comments, Test #1

Evaluator signature & comments, Retest #1

Evaluator signature & comments, Retest #2

--	--	--

Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date
---------------------	------	---------------------	------	---------------------	------

Candidate signature & acknowledgement,
Test #1

Candidate signature & acknowledgement,
Retest #1

Candidate signature & acknowledgement,
Retest #2

By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments

By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments

By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments

Candidate signature	Date	Candidate signature	Date	Candidate signature	Date
---------------------	------	---------------------	------	---------------------	------

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-13

Certification title

Firefighter 1
Inspecting Fire Department Ropes

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 9-3
Fire Fighter I, 4.5.1

Task

Inspecting fire department life safety ropes.

Conditions and Outcome

The candidate shall be provided with a life safety rope. The candidate shall be able to properly inspect life safety ropes, while wearing gloves.

Student must successfully pass all Task Steps with 100 percent to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Examine the core by looking for depressions, flat spots, or lumps.						
2	Examine the sheath by looking for discolorations, abrasions, flat spots, and embedded objects.						
Final Test Result for Entire Task							
Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2			
Evaluator signature		Evaluator signature		Evaluator signature		Date	
Date		Date					
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2			
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments			
Candidate signature		Candidate signature		Candidate signature		Date	
Date		Date					

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-14

Certification title

Firefighter 1
Tying a Clove Hitch in the Open

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 9-7
Fire Fighter I, 4.1.2,
4.3.20

Task

Sliding a clove hitch in the open around and object/tool.

Conditions and Outcome

The candidate shall be provided with a section of rope and pike pole. The candidate shall be able to properly tie a clove hitch around a pike pole, while wearing appropriate PPE.

Student must successfully pass all Task Steps with 100 percent to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Form a clove hitch and slide over the end of a pike pole pulling in opposite directions to tighten. Secure with safety knot.						
Final Test Result for Entire Task							
Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2			
Evaluator signature	Date	Evaluator signature	Date	Evaluator signature	Date		
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2			
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments			
Candidate signature	Date	Candidate signature	Date	Candidate signature	Date		

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022



Office of Training
and Certification

New Jersey Division of Fire Safety

BASIC PRACTICAL SKILLS EXAMINATION REPORT

Skill sheet #

FF1-15

Certification title

Firefighter 1
Tying a Clove Hitch Around an Object

Applicant Information

Candidate name

DFS ID #

Course #

Evaluation

Standard:
NFPA 1001, 2019 Edition
Skill Drill 9-8
Fire Fighter I, 4.1.2,
4.3.20

Task

Tying a clove hitch around an object.

Conditions and Outcome

The candidate shall be provided with a section of rope and an object for the rope to be tied around. The candidate shall be able to properly tie a clove hitch around an object, while wearing appropriate PPE.

Student must successfully pass all Task Steps with 100 percent to pass this skill sheet

Number	Task Steps	First Test		Retest #1		Retest #2	
		Pass	Fail	Pass	Fail	Pass	Fail
1	Tie a Clove Hitch around an object and secure with a safety knot around the standing part of the rope.						
Final Test Result for Entire Task							
Evaluator signature & comments, Test #1		Evaluator signature & comments, Retest #1		Evaluator signature & comments, Retest #2			
Evaluator signature		Date	Evaluator signature	Date	Evaluator signature	Date	
Candidate signature & acknowledgement, Test #1		Candidate signature & acknowledgement, Retest #1		Candidate signature & acknowledgement, Retest #2			
By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments		By my signature below I acknowledge I have read and understood the evaluation results and evaluator comments			
Candidate signature		Date	Candidate signature	Date	Candidate signature	Date	

Form DFS-SS-1, 10/12

Approved by NJ SME Committee 11/20/2020

Updated by NJ SME Committee 3/8/2021

Revised 4/27/2022